In the Claims

Please amend claims 39, 51 and 52 as shown below and cancel claims 54 and 55. This listing of claims will replace all prior versions and listing of claims in the application:

- (Currently Amended) A generally disc-shaped token having a body produced by multiple injections of plastic material, the token comprising at-least;
- a generally disc-shaped <u>single-piece</u> core of the body of the token produced by a first injection of plastic material and having a central portion defining the central portion of the body of said token and an annular peripheral portion defining at least part of an edge of said body of the token; and
- a covering layer produced by a second injection of plastic material around the peripheral portion of the core to produce in conjunction with the core one of, all or almost all of the edge and of the annular peripheral portion of the body of the token,
- wherein the core of the token incorporates an insert embedded in the plastic material of the central portion of said body during the first injection and comprising a contactless electronic microchip identification device, wherein said insert is secured between a first half-shell and a second half-shell of a first injection mold during said first injection of plastic material such that said resulting generally disc-shaped single-piece core is a single-piece construction with said insert being embedded within said plastic material of the central portion of said body of said core upon completion of said first injection.
- 40. (Original) The token according to claim 39, wherein, in the first injection, the core defines at least part of the annular peripheral portion of the body of the token.

- 41. (Original) The token according to claim 40, wherein, in the first injection, the core defines at least part of the annular peripheral portion of the token and the edge of the token by way of radial peripheral projections that are grouped.
- 42. (Original) The token according to claim 39, wherein, in conjunction with the core, said covering layer defines the annular peripheral portion and the edge of the body of the token except for housings provided with injected plastic material edge inclusions produced by at least one complementary injection.
- 43. (Original) The token according to claim 39, wherein a peripheral region of the central portion of the core comprises a plurality of openings into which project portions of an insert which comprises said electronic microchip identification device.
- 44. (Original) The token according to claim 43, wherein the core comprises at least three openings evenly distributed in a circumferential direction at the periphery of the central portion of the core.
- 45. (Original) The token according to claim 43, wherein said portions of the insert projecting through openings in the core are sufficiently strong to hold the insert in place during injection of the core of the body of the token.
- 46. (Original) The token according to claim 43, wherein a center of the central portion of the core has at least one recess on at least one of its faces.
- 47. (Original) The token according to claim 43, wherein an internal portion of said peripheral portion of the core comprises a circular groove including through passages that are evenly distributed in a circumferential direction.

- 48. (Original) The token according to claim 47, wherein at least one of (a) said openings, (b) any recesses in the faces of the token and (c) said through passages are filled with plastic material by said second injection.
- 49. (Original) The token according to claim 39, wherein the body of the token has on each face a cavity into which is fixed a label carrying at least one of a decoration, a mark and a hologram.
- (Original) The token according to claim 39, wherein the token is produced by injecting plastic materials of different colors.
- 51. (Currently Amended) A generally disc-shaped token having a body produced by multiple injection of plastic material, the token comprising at least:
- a generally disc-shaped <u>single-piece</u> core of the body of the token produced by a first injection of plastic material and having a central portion defining the central portion of the body of said token and an annular peripheral portion defining at least part of an edge of said body of the token; and
- a covering layer produced by a second injection of plastic material around the peripheral portion of the core to produce in conjunction with the core one of, all or almost all of the edge and of the annular peripheral portion of the body of the token,
- wherein the core of the token incorporates an insert embedded in the plastic material of the

 central portion of said body during the first injection and comprising a contactless

 electronic microchip identification device and wherein said insert is secured between a

 first half-shell and a second half-shell of a first injection mold during said first injection

 of plastic material such that said resulting generally disc-shaped single-piece core is a

- single-piece construction with said insert being embedded within said plastic material of the central portion of said body of said core upon completion of said first injection;
- in the first injection, the core defines at least part of the annular peripheral portion of the body of the token;
- in conjunction with the core, said covering layer defines the annular peripheral portion and the edge of the body of the token except for housings provided with injected plastic material edge inclusions produced by at least one complementary injection;
- a peripheral region of the central portion of the core comprises a plurality of openings into which project portions of an insert which comprises said electronic microchip identification device;
- the core comprises at least three openings evenly distributed in a circumferential direction at the periphery of the central portion of the core; and
- the body of the token has on each face a cavity into which is fixed a label carrying at least one of a decoration, a mark and a hologram.
- 52. (Currently Amended) A method of fabricating a body of a token aeeording to olaim $39_{\bar{3}}$ comprising:
 - placing an insert comprising a contactless electronic microchip identification device in a first injection mold, two half-shells whereof define a first imprint corresponding to a generally disc-shaped core of the body of the token;
 - holding said insert at a center of the first imprint by axially clamping the insert between the two half-shells of the first mold;

injecting the core of the token;

placing the core of the token in a second injection mold, two half-shells thereof defining a second imprint corresponding to one of all or almost all of the body of the token; holding said core at a center of the second imprint by axially clamping a central portion of the core between the two half-shells of the second mold; and injecting a covering layer.

- 53. (Original) The method according to claim 52, wherein at least one of the clamping during the first injection and the second injection is realized at a peripheral area of the central portion of the core of the token.
 - 54. (Cancelled)
 - 55. (Cancelled)
- 56. (Original) The token according to claim 39, wherein said token comprises colored plastic materials obtained from at least one basic polymer selected from the group consisting of:

polymethyl methacrylate (PMMA);

acrylonitrile-butadiene-styrene (ABS);

polyamides and copolymers thereof;

polyacetal and acetal copolymers (POM/polyoxymethylene);

phenylene polysulfide (PPS);

polyalkylene terephthalates;

thermoplastic polyurethanes (PUR);

vinyl polymers; and

polyolefins.

57. (Original) The token according to claim 39, comprising a body produced by injection of plastic material and having a diameter one of, greater than or equal to 39 mm and a maximum thickness that does not exceed 3.3 mm, the thickness of the central portion of the body being of the order of 2.5 mm.

- 58. (Original) The token according to claim 39, wherein the token is one of a gaming chip or a casino chip.
- 59. (Original) The token according to claim 40, wherein, in the first injection, the core defines at least part of the annular peripheral portion of the token and the edge of the token by way of radial peripheral projections that are not grouped.
- 60. (Original) The token according to claim 41, wherein the radial peripheral projections that are grouped are evenly distributed in a circumferential direction and extend on either side of said body and axially over the edge.
- 61. (Original) The token according to claim 59, wherein the radial peripheral projections that are not grouped are evenly distributed in a circumferential direction and extend on either side of said body and axially over the edge.
- 62. (Original) The method according to claim 52, further comprising at least one further injection of edge inclusions to complete the body of the token.
- 63. (Original) The method according to claim 52, further comprising machining the body of the token to finish the edge of the token.
- 64. (Original) The token according to claim 56, wherein the polyalkylene terephthalates is polybutylene terephthalate (PBT), the vinyl polymers are polyvinyl chloride (PVC), and the polyolefins are at least one polymer selected from the group consisting of polyethylenes (PE) and polypropylenes.